

Semantic Place Labeling Using a Probabilistic Decision List of AdaBoost Classifiers

Symone G. Soares¹ and Rui Araújo²

Institute of Systems and Robotics (ISR-UC),
Department of Electrical and Computer Engineering (DEEC-UC),
University of Coimbra, Pólo II, PT-3030-290 Coimbra, Portugal

¹*symonesoares@isr.uc.pt*

²*rui@isr.uc.pt*

Abstract: The success of mobile robots relies on the ability to extract from the environment additional information beyond simple spatial relations. In particular, mobile robots need to have semantic information about the entities in the environment such as the type or the name of places or objects. This work addresses the problem of classifying places (room, corridor or doorway) using mobile robots equipped with a laser range scanner. This paper compares the results of several AdaBoost algorithms (Viola-Jones AdaBoost, Gentle AdaBoost, Modest AdaBoost and Generalized AdaBoost for the place categorization) to train a set of classifiers and discusses these solutions. Since the problem is multi-class and these AdaBoosts provide only binary outputs, the AdaBoosts are arranged into Probabilistic Decision Lists (PDL), where each AdaBoost of the list gives a confidence value of each class. Then, Probabilistic Relaxation Labeling (PRL) is performed to smooth the classification results. Moreover, heuristics for removing incorrect regions are proposed to reduce the classification error. Experimental results suggest that PDL can be extended to several binary classifiers and show that PRL improves significantly the classification rates of the classifiers.

Keywords: intelligence; learning; pattern recognition; mobile robot; semantic place labeling.

I. Introduction

Mobile robots must be able to interact and extract information from their environments. Tasks can be performed by being able to recover useful spatial descriptions of its surroundings using sensors and by utilizing these information in appropriate short-term and long-term planning and decision making activities [1, 2, 3].

Robot-built maps have been used for tasks like path planning, navigation and localization [4]. The large majority of the maps are limited in describing the environment as occupied or unoccupied areas, or with other spatial and/or metric information. However, they neglect descriptions of environment aspects, such as, its navigability or the nature of the activity that typically occurs there. *Semantic mapping* consists of using mobile robots to built maps that incorporate not only metric occupancy but also other important descriptions of the environment [5].

Semantic information can be used to describe about the func-

tionality of objects and environments, or to offer additional information to the navigation and localization systems [6]. Additionally, semantic information is crucial to the ability of the robot to interact with humans using some set of terms and concepts [7]. The process of applying a semantic term to some division of the environment is known as *semantic place labeling*. In this case, semantic information is used to classify places in the environment in categories, such as, room, doorway, corridor and hallway [8].

Besides the quality of sensor information, the success of semantic place labeling relies on the classification system used to categorize places. Some approaches to address this problem have been proposed in the literature. Buschka and Saffiotti [9] propose a local technique uses range data to detect places during navigation. Logistic Regression for indoor scenarios using a multi-class classifier is investigated by Shi and Kodagoda [10]. Moreover, Mozoš *et al.* [11] proposes the Generalized AdaBoost [12] for the place categorization based on the laser range data.

AdaBoost has been a powerful algorithm for solving classification problems. AdaBoost is based on the idea of combining a set of classifiers (*weak hypotheses*) to form a stronger classifier. AdaBoost was introduced by Freund and Schapire [13] and this algorithm is commonly referenced as Classic AdaBoost. Schapire and Singer [14] proposed some improvements to the Classic AdaBoost, resulting in a new approach called Generalized AdaBoost. The main contributions of the Generalized AdaBoost are the inclusion of *confidence-rated* predictions for each weak hypothesis and a parameter that controls the influence of each weak hypothesis.

Other important contribution for the AdaBoost algorithms is the Viola-Jones AdaBoost, proposed by Viola and Jones [12]. The Viola-Jones AdaBoost ensures that each weak hypothesis depends on only single feature, reducing the number of available features and focusing on a small set of critical features. Since the Viola-Jones AdaBoost uses the Classic AdaBoost's structure, Mozoš *et al.* [15] proposed a Generalized AdaBoost for the place categorization using the Generalized AdaBoost's structure and weak hypotheses depending on only a single feature (as the Viola-Jones AdaBoost).

Furthermore, experimental results suggest that Gentle AdaBoost [16] and Modest AdaBoost [17] outperform other classifiers [18], such as, Support Vector Machines [19] and

Neural Networks [20]. Empirical studies indicate that Gentle AdaBoost has similar performance when compared to other AdaBoosts, however it often outperforms them in terms of stability. On the other hand, the Modest AdaBoost has good generalization capability when compared to the other AdaBoosts.

This paper addresses the problem of classifying places using a mobile robot equipped with a laser range scanner. The environments are categorized as room, corridor or doorway. This work explores the use of the Viola-Jones AdaBoost, the Gentle AdaBoost and the Modest AdaBoost as models and then it compares these models with the Generalized AdaBoost for place categorization. Since the problem is multi-class and these AdaBoosts provide only binary outputs, the AdaBoosts are arranged into the Probabilistic Decision Lists (PDL), where each AdaBoost of the list gives a confidence value of each class. After classification by the PDL, Probabilistic Relaxation Labeling (PRL) is performed to smooth the classifications. The results indicate significant improvements on the Gentle AdaBoost and the Modest AdaBoost when the PRL is applied. Moreover, heuristics for removing incorrect regions are proposed to reduce the error on test data, thus improving generalization. The paper presents experiments that use two data sets which correspond to the Building 52 and the Building 79 at the University of Freiburg [8]. Experimental results suggest that PDL can be extended to several binary classifiers and show that PRL improves significantly the classification rates of the classifiers.

The paper is organized as follows. Section II reports the description of the features acquired from the laser sensors for semantic place labeling. Section III introduces a review of the AdaBoost algorithms. In Section IV, the problem of designing the PDL is addressed. Section V reviews concepts about the PRL. Section VI proposes a set of heuristics for improving the classification rate. Section VII reports experimental results of the AdaBoost using the PDL, the PRL and the heuristics. Finally, Section VIII contains concluding remarks.

II. Features for the Place Semantic Labeling

This work proposes an approach that allows a mobile robot to build a semantic map from sensor data and then use this information for place labeling. The aim is to classify the robot position based on the current scan obtained from the range sensor. The experiments use two data sets which correspond to Building 52 and Building 79 at the University of Freiburg [8].

It is assumed that the mobile robot is equipped with a laser range scanner that covers the 360° field of view around the robot. Each observation $z = \{b_0, \dots, b_{M-1}\}$ contains a set of beams b_i and each beam b_i consists of a tuple (ρ_i, d_i) , where ρ_i is the angle of the beam relative to the robot and d_i is the length of the beam. The training data set is given by $E = \{(z_i, y_i) | y_i \in Y\}$, where $Y = \{\text{room}, \text{corridor}, \text{doorway}\}$ is the set of possible classes of the places.

The data set is composed of two sets of features that are calculated for each observation. The first set is calculated using the raw beam in z . Table 1 shows a list of the single-valued features obtained from raw beams and composing the

Table 1: Features for the place categorization using raw beams - Set B .

Feature	Description
B.1	The average difference between the length of consecutive beams.
B.2	The standard deviation of the difference between the length of consecutive beams.
B.3	Same as feature B.1, but considering different max-range values.
B.4	Same as feature B.2, but considering different max-range values.
B.5	The average beam length.
B.6	The standard deviation of the beam length.
B.7	Number of gaps in the scan. Two consecutive beams build a gap if their difference is greater than a given threshold. Different features are used for different threshold values.
B.8	Number of beams lying on lines that are extracted from the range scan.
B.9	Euclidean distance between two points corresponding to two consecutive global minima.
B.10	Angular distance between two points corresponding to two consecutive global minima.
B.11	Average of the relation between the length of two consecutive beams.
B.12	Standard deviation of the relation between the length of two consecutive beams.
B.13	Average of normalized beam length.
B.14	Standard deviation of normalized beam length.
B.15	Number of relative gaps.
B.16	Kurtosis.

set B . The second set of features, P , is obtained from a polygonal approximation $P(z)$ of the area covered by z . The vertices of $P(z)$ correspond to the coordinates of the end-points of each beam b_i of z relative to the mobile robot: $P(z) = \{(d_i \cos \rho_i, d_i \sin \rho_i) | i = 0, \dots, M-1\}$. The list of the features corresponding to the set P is presented in Table 2. This work uses the features extracted from sets B and P [8]. Table 3 lists and defines the features that are used in this paper.

III. AdaBoost Algorithms

The AdaBoost algorithm has been a very successful technique for solving two-class classification problems. The main idea is to combine a set of weak classification functions to form a stronger classifier, \mathcal{H} . The classifiers are called weak classification functions because it is not expected that they have the best classification functions to classify the training data well. Weak learner commonly denotes a generic weak learning algorithm. On each round t ($t = 1, \dots, T$) the weak learner searches over a set of possible weak classification functions and then selects a weak classification function based on the minimization of the classification error. Here, this selected weak classification function is called as weak hypothesis, h_t .

After each round, the samples are re-weighted in order to emphasize those which were incorrectly classified by the previous weak hypothesis. The distribution of the weights D indicates the importance of the samples. The final strong clas-

Table 2: Features for the place categorization using polygonal approximation - Set P .

Feature	Description
P.1	Area of $P(z)$.
P.2	Perimeter of $P(z)$.
P.3	Area of $P(z)$ divided by Perimeter of $P(z)$.
P.4	Mean distance between the centroid and the shape boundary.
P.5	Standard deviation of the distances between the centroid and the shape boundary.
P.6	Similarity invariant descriptors based in the Fourier transformation. It is used the first 200 descriptors.
P.7	Major axis Ma of the ellipse that approximates $P(z)$ using the first two Fourier coefficients.
P.8	Minor axis Mi of the ellipse that approximates $P(z)$ using the first two Fourier coefficients.
P.9	Ma/Mi .
P.10	Seven invariants calculated from the central moments of $P(z)$.
P.11	Normalized feature of compactness of $P(z)$.
P.12	Normalized feature of eccentricity of $P(z)$.
P.13	Form factor of $P(z)$.
P.14	Circularity of $P(z)$.
P.15	Normalized circularity of $P(z)$.
P.16	Average normalized distance between the centroid and the shape boundary.
P.17	Standard deviation of the normalized distance between the centroid and the shape boundary.

Table 3: Features used in this work and extracted from the Sets B and P .

Feature	Description
x_1	feature B.1
x_2	feature B.2
x_3	feature B.3
x_4	feature P.1
x_5	feature P.2
x_6	feature P.3
x_7	feature B.5
x_8	feature B.6
x_9	feature P.4
x_{10}	feature P.5
x_{11}, \dots, x_{30}	feature B.7 with thresholds 0.5 [m] to 10.0 [m] (0.5 [m] steps)
x_{31}, \dots, x_{129}	feature P.6 with Fourier coefficients 2 to 100
x_{130}	feature P.7
x_{131}	feature P.8
x_{132}	feature P.9
x_{133}	feature B.11
x_{134}	feature B.12
x_{135}	feature B.13
x_{136}	feature B.14
x_{137}	feature P.16
x_{138}	feature P.17
x_{139}, \dots, x_{148}	feature B.15 with thresholds 0.1 [m] to 1.0 [m] (0.1 [m] steps)
x_{149}	feature P.15
x_{150}	feature B.16

sifier \mathcal{H} is formed by a weighted combination of the weak hypotheses.

Algorithm 1 Viola-Jones AdaBoost.

1. Given samples (\mathbf{x}_i, y_i) , $i = 1, \dots, N$, where $y_i = 0$ for the negative samples and $y_i = 1$ for the positive samples, respectively; And a set of features f_j , $j = 1, \dots, M$, so that for each sample i there is a value of f_j given by $f_j(i)$;
2. Initialize a distribution as $D_1(i) = \frac{1}{2^m}$ for $y_i = 0$ and $D_1(i) = \frac{1}{2^l}$ for $y_i = 1$, where m and l are the number of negative and positive samples, respectively;
3. Set $t \leftarrow 1$;
4. **Repeat**

- (a) Normalize the distribution so that $\sum_{i=1}^N D_t(i) = 1$;
- (b) For each feature j , train a classifier h_j which is restricted to using a single feature. Evaluate the error of each classifier h_j based on the D_t : $\varepsilon_t = \sum_{i=1}^N D_t(i) |h_j(\mathbf{x}_i) - y_i|$;
- (c) Choose the classifier h_t with the lowest error ε_t ;
- (d) Set $\beta_t = \varepsilon_t / (1 - \varepsilon_t)$;
- (e) Update the distribution as:

$$D_{t+1}(i) = D_t(i) \beta_t^{1 - |h_t(\mathbf{x}_i) - y_i|};$$

- (f) Set $t \leftarrow t + 1$;

until $t = T$;

5. Construct the final strong classifier as:

$$\mathcal{H}(\mathbf{x}) = \begin{cases} 1, & \text{if } \sum_{t=1}^T (\log \frac{1}{\beta_t}) h_t(\mathbf{x}) \geq \frac{1}{2} \sum_{t=1}^T \log \frac{1}{\beta_t}, \\ 0, & \text{otherwise.} \end{cases}$$

The AdaBoost was firstly introduced by Freund and Schapire [13] through the Classic AdaBoost algorithm. Afterwards, Schapire and Singer [14] proposed some improvements to Classic AdaBoost, resulting in a new algorithm called Generalized AdaBoost. The main difference is that the Generalized AdaBoost considers that the weak hypothesis can produce output real-valued or *confidence-rated* predictions. In other words, given an input \mathbf{x}_i , if $h_t(\mathbf{x}_i)$ is close to or far from zero, it is considered as a low or right confidence prediction. Another differing aspect is the inclusion of parameters α_t that control the influence of the weak hypotheses in the final output. The main effect of α_t is to decrease or increase the weights of the training samples classified correctly or incorrectly by the h_t .

A. Viola-Jones AdaBoost and Generalized AdaBoost for the Place Categorization

The traditional AdaBoosts are procedures for selecting a small set of good weak hypotheses. However, such weak hypothesis often do not have significant variety. To compensate this problem, Viola and Jones [12] proposed an approach for constructing a classifier by selecting a small number of features using the Classic AdaBoost Algorithm [13]. During the learning procedure a large majority of the available features are excluded, focusing on a small set of critical features. In other works, the weak learner restricts each weak hypothesis to depend on only a single feature.

Algorithm 1 details the Viola-Jones AdaBoost. Considering a binary classification problem where the aim is to dis-

criminate positive and negative samples, the Viola-Jones AdaBoost takes as input a set of samples $(\mathbf{x}_1, y_1), \dots, (\mathbf{x}_N, y_N)$, where each sample \mathbf{x}_i belongs to some domain space X and y_i belongs to the label set $Y = \{0, 1\}$. On each iteration t , a distribution D_t is computed by normalizing the weights.

The weak learner algorithm is employed to select a single feature which best separates the positive and negative samples. In this process, the weak learner finds the optimal threshold classification function so that the minimum number of samples are misclassified. Considering a set of features f_j , $j = 1, \dots, M$, the weak hypothesis depends on only a single feature f_j . On each round t , a weak hypothesis h_j consists of a feature f_j , a threshold θ_t and a parity p_j (either -1 or 1) indicating the direction of the inequality sign:

$$h_j(\mathbf{x}) = \begin{cases} 1, & \text{if } p_j f_j(\mathbf{x}) < p_j \theta_j, \\ 0, & \text{otherwise.} \end{cases} \quad (1)$$

The weak learner algorithm finds the optimal values of θ_j and p_j such that the number of misclassified training samples is minimized as:

$$(p_j, \theta_j) = \operatorname{argmin}_{(p_i, \theta_i)} \sum_{i=1}^N D_t(i) |h_j(\mathbf{x}_i) - y_i|. \quad (2)$$

At the end of each round t , the distribution D_t is updated in order to increase the importance of samples which were incorrectly classified by the previous selected weak hypothesis. The final strong classifier is a linear combination of the T weak hypotheses where the weights are inversely proportional to the training errors. The Viola-Jones' classifier can be viewed as single node decision trees, where these structures are also called decision stumps in the machine learning literature.

The Viola-Jones AdaBoost uses the Classic AdaBoost' structure. Therefore, the Viola-Jones AdaBoost does not consider the improvements presented by the Generalized AdaBoost in relation to the Classic AdaBoost. To include the effectiveness of both the Viola-Jones AdaBoost and the Generalized AdaBoost, Mozos [21] presented an AdaBoost called Generalized AdaBoost for the place categorization problem using the weak learning algorithm of the Viola-Jones AdaBoost, as specified in Algorithm 2.

Considering a sequence of input samples $(\mathbf{x}_1, y_1), \dots, (\mathbf{x}_N, y_N)$, where \mathbf{x}_i belongs to some domain space X and y_i belongs to the label set $Y = \{-1, +1\}$; and $y_i = +1$ indicates a positive sample \mathbf{x}_i and $y_i = -1$ indicates a negative sample \mathbf{x}_i . Similarly to the other AdaBoosts, the distribution D_t indicates the importance (weights) of each sample. On each round t , the distribution is normalized and then a weak classifier is selected according to the distribution D_t .

Similarly to the Viola-Jones AdaBoost, for each feature f_j , a weak classifier of the following form is selected:

$$h_j(\mathbf{x}) = \begin{cases} +1, & \text{if } p_j f_j(\mathbf{x}) < p_j \theta_j, \\ -1, & \text{otherwise.} \end{cases} \quad (3)$$

Equation (3) differs from Equation (1) in the output for a negative classification. The weak learner algorithm finds the optimal values of θ_t and p_j so as to maximize $|r_t|$ (see Algorithm 2). Then the distribution D_{t+1} is updated and the

Algorithm 2 Generalized AdaBoost for the Place Categorization.

1. Given samples (\mathbf{x}_i, y_i) , $i = 1, \dots, N$, where $y_i = -1$ for the negative samples and $y_i = +1$ for the positive samples; And a set of features f_j , $j = 1, \dots, M$, so that for each sample i there is a value of f_j given by $f_j(i)$;
 2. Initialize a distribution as $D_1(i) = \frac{1}{2m}$ for $y_i = -1$ and $D_1(i) = \frac{1}{2l}$ for $y_i = +1$, where m and l are the number of negative and positive samples, respectively;
 3. Set $t \leftarrow 1$;
 4. **Repeat**
 - (a) Normalize the distribution so that $\sum_{i=1}^N D_t(i) = 1$;
 - (b) For each feature f_j , $j = 1, \dots, M$, train a weak learner and select a weak hypothesis h_j using the distribution D_t ;
 - (c) For each weak hypothesis h_j , compute:

$$r_j = \sum_{i=1}^N D_t(i) y_i h_j(\mathbf{x}_i), \text{ with } h_j(\mathbf{x}_i) \in \{-1, +1\};$$
 - (d) Choose a weak hypothesis h_j that maximizes $|r_j|$ and set $(h_t, r_t) = (h_j, r_j)$;
 - (e) Update the distribution as:

$$D_{t+1}(i) = D_t(i) \exp(-\alpha_t y_i h_t(\mathbf{x}_i)), \text{ where } \alpha_t = \frac{1}{2} \ln \left(\frac{1+r_t}{1-r_t} \right);$$
 - (f) Set $t \leftarrow t + 1$;
- until** $t = T$;
5. Construct the final strong classifier as:

$$\mathcal{H}(\mathbf{x}) = \operatorname{sign}(F(\mathbf{x})), \text{ where } F(\mathbf{x}) = \sum_{t=1}^T \alpha_t h_t(\mathbf{x}).$$
-

weight of a weak hypothesis α_t is calculated. After T rounds, the final classifier is composed by a weighted combination of the chosen weak hypotheses. In the following experiments, Generalized AdaBoost corresponds to the AdaBoost proposed by Mozos [21].

B. Gentle AdaBoost and Modest AdaBoost

This work introduces the Gentle AdaBoost [16] and the Modest AdaBoost [17] algorithms for place categorization. Results indicate that these classifiers perform better in image classification than other classifiers based on Support Vector Machines and Neural Networks [18].

Gentle AdaBoost optimizes the performance of the final classifier using Newton stepping for minimizing the criterion $E[\exp(-y\mathcal{H}(\mathbf{x}))]$, where E represents the expectation. The algorithm updates a weak hypothesis using class probabilities as:

$$h_t(\mathbf{x}) = P_{D_t}(y = +1|\mathbf{x}) - P_{D_t}(y = -1|\mathbf{x}). \quad (4)$$

Empirical evidence suggests that Gentle AdaBoost has similar classification performance when compared with other AdaBoosts, such as, Real AdaBoost and LogitBoost, but it often outperforms them in terms of stability [16]. The Gentle AdaBoost is outlined in Algorithm 3, where the weak learner is

Algorithm 3 Gentle AdaBoost.

1. Given samples (\mathbf{x}_i, y_i) , $i = 1, \dots, N$, where $y_i = -1$ for negative samples and $y_i = +1$ for positive samples;
2. Initialize a distribution as $D_1(i) = \frac{1}{N}$, $i = 1, \dots, N$;
3. Set $t \leftarrow 1$ and $\mathcal{H}(\mathbf{x}) \leftarrow 0$;
4. **Repeat**
 - (a) Train a weak hypothesis $h_t(\mathbf{x})$ using distribution $D_t(i)$ by weighted least squares;
 - (b) Update $\mathcal{H}(\mathbf{x}) \leftarrow \mathcal{H}(\mathbf{x}) + h_t(\mathbf{x})$;
 - (c) Update the distribution as:

$$D_{t+1}(i) = D_t(i) \exp(-y_i h_t(\mathbf{x}_i));$$
 - (d) Normalize the distribution so that:

$$\sum_{i=1}^N D_{t+1}(i) = 1;$$
 - (e) Set $t \leftarrow t + 1$;
- until** $t = T$;
5. Construct the final classifier as:

$$\mathcal{H}(\mathbf{x}) = \text{sign}(F(\mathbf{x})), \text{ where } F(\mathbf{x}) = \sum_{t=1}^T h_t(\mathbf{x}).$$

fitted by weighted least squares as:

$$h_t(\mathbf{x}) = \underset{h}{\text{argmin}} \left(\sum_{i=1}^N D_t(i) \cdot (y_i - h(\mathbf{x}_i))^2 \right). \quad (5)$$

Modest AdaBoost has less generalization error and higher training errors when compared to the other AdaBoosts. Experiments show that Modest AdaBoost outperforms Gentle AdaBoost in terms of generalization error, but reduces training error much slower, sometimes not reaching zero [17]. A description of Modest AdaBoost is shown in Algorithm 4. The only requirement for a weak hypothesis h_t is that for any of its output values, the algorithm should be able to estimate probability $P_{D_t}(y = 1 \cap h_t(\mathbf{x}))$.

At each round t , distribution D_t assigns high weights to training samples misclassified in earlier stages. On the contrary, the inverse distribution \bar{D}_t gives higher weights to samples correctly classified in earlier rounds. The initial weights are set as $D_1(i) = \frac{1}{N}$. The new distribution D_{t+1} is calculated as:

$$D_{t+1}(i) = \frac{D_t(i) \exp(-y_i g_t(\mathbf{x}_i))}{Z_t}, \quad (6)$$

where Z_t is a normalization coefficient. Z_t and \bar{Z}_t are chosen so that:

$$\sum_{i=1}^N \bar{D}_t(i) = \sum_{i=1}^N D_t(i) = 1. \quad (7)$$

A weak learner is fitted in Step 4a by weighted least squares according to the Equation 5.

Expressions $P_t^{+1}(\mathbf{x}) = P_{D_t}(y = +1 \cap h_t(\mathbf{x}))$ and $P_t^{-1}(\mathbf{x}) = P_{D_t}(y = -1 \cap h_t(\mathbf{x}))$ compute how good the current weak hypothesis is predicting the class labels. Expressions $\bar{P}_t^{+1}(\mathbf{x}) = P_{\bar{D}_t}(y = +1 \cap h_t(\mathbf{x}))$ and $\bar{P}_t^{-1}(\mathbf{x}) = P_{\bar{D}_t}(y = -1 \cap h_t(\mathbf{x}))$ estimate how good the current weak hypothesis is working on the data which has been correctly classified by previous steps. So when Algorithm 4 uses $g_t(\mathbf{x}) =$

Algorithm 4 Modest AdaBoost.

1. Given samples (\mathbf{x}_i, y_i) , $i = 1, \dots, N$, where $y_i = -1$ for negative samples and $y_i = +1$ for positive samples;
2. Initialize a distribution as $D_1(i) = \frac{1}{N}$, $i = 1, \dots, N$;
3. Set $t \leftarrow 1$;
4. **Repeat**
 - (a) Train a weak hypothesis $h_t(\mathbf{x})$ using distribution $D_t(i)$ by weighted least squares;
 - (b) Compute the inverted distribution $\bar{D}_t(i) = (1 - D_t(i)) \bar{Z}_t$;
 - (c) Compute:
 - i. $P_t^{+1}(\mathbf{x}) = P_{D_t}(y = +1 \cap h_t(\mathbf{x}))$;
 - ii. $\bar{P}_t^{+1}(\mathbf{x}) = P_{\bar{D}_t}(y = +1 \cap h_t(\mathbf{x}))$;
 - iii. $P_t^{-1}(\mathbf{x}) = P_{D_t}(y = -1 \cap h_t(\mathbf{x}))$;
 - iv. $\bar{P}_t^{-1}(\mathbf{x}) = P_{\bar{D}_t}(y = -1 \cap h_t(\mathbf{x}))$;
 - (d) Set:

$$g_t(\mathbf{x}) = (P_t^{+1}(1 - \bar{P}_t^{+1}) - P_t^{-1}(1 - \bar{P}_t^{-1}))(\mathbf{x});$$
 - (e) Update the distribution:

$$D_{t+1}(i) = \frac{D_t(i) \exp(-y_i g_t(\mathbf{x}_i))}{Z_t};$$
 - (f) Set $t \leftarrow t + 1$;
- until** $t = T$ and $g_t(\mathbf{x}) \neq 0$;
5. Construct the final classifier as:

$$\mathcal{H}(\mathbf{x}) = \text{sign}(F(\mathbf{x})), \text{ where } F(\mathbf{x}) = \sum_{t=1}^T g_t(\mathbf{x}).$$

$(P_t^{+1}(1 - \bar{P}_t^{+1}) - P_t^{-1}(1 - \bar{P}_t^{-1}))(\mathbf{x})$ as an update for current step, it decreases the weak hypothesis contribution, if it works “too good” on data that has already been correctly classified with high margin. A feature of the Modest AdaBoost is that $1 - \bar{P}_t^y$, $y \in \{-1, +1\}$ can actually become zero, so then update will not occur. This provides a natural stopping criterion.

Despite the original Gentle AdaBoost and Modest AdaBoost consider weighted least squares as weak learner algorithm, in the experiments are investigated the use of stumps. A decision stump makes a prediction based on the value of a just one single input, as the Viola-Jones AdaBoost. Decision stumps have many advantages, such as, simple to understand and interpret; and performs well with large amount of data in a short time.

IV. Multi-class Classification Using a Binary AdaBoost into a Probabilistic Decision List (PDL)

The AdaBoost algorithms presented in Section III have been designed for binary classification problems. However, in this work, it is necessary to handle multiple classes for place categorization. To cover this issue, Mozas *et al.* [15] shows that it is possible to design an AdaBoost arranged into a Decision List (DL) for multi-class problems, where each AdaBoost of the DL determines if a sample belongs to one specific class. The aim is to train each AdaBoost using samples of its class as positives and the other samples as negatives. Consider a DL that is defined by a sequence of K classes $k = 1, \dots, K$,




Figure. 1: Probabilistic decision list using binary AdaBoosts.

and by $K - 1$ AdaBoosts. An AdaBoost uses a binary hypothesis $h_k : X \rightarrow Y = \{0, 1\}$ to classify a sample \mathbf{x} . Each hypothesis h_k determines if a sample \mathbf{x} belongs to the corresponding class k . If an AdaBoost gives output 1, then the sample is assigned to class k . On the contrary, the sample \mathbf{x} is passed to the next AdaBoost into the list until it is attributed to a class.

This idea can be extended to a PDL, where each AdaBoost gives a confidence value C_k^+ for its class [21], as shown in Figure 1. The sample is passed to the next AdaBoost, but with a negative classification confidence value of $1 - C^+$, where:

$$C^+ = P(y = +1|\mathbf{x}) = \frac{e^{F(\mathbf{x})}}{e^{-F(\mathbf{x})} + e^{F(\mathbf{x})}}, \quad (8)$$

$$C^- = P(y = -1|\mathbf{x}) = \frac{e^{-F(\mathbf{x})}}{e^{-F(\mathbf{x})} + e^{F(\mathbf{x})}}, \quad \text{and} \quad (9)$$

$$C^+ = P(y = +1|\mathbf{x}) = 1 - C^-. \quad (10)$$

The complete output of a sample i can be defined as a histogram P_i , where each bin $p_i(k)$ of P_i stores the probability of a class k :

$$p_i(k) = C_k^+ \prod_{j=1}^{k-1} (1 - C_j^+), \quad (11)$$

where $\sum_{k=1}^K p_i(k) = 1$ and the confidence value C_K of the last bin $p_i(K)$ is equal to $C_K = 1$ according to the PDL structure.

Another important issue of the DL is the order in which the AdaBoosts are arranged, because the individual classifiers may have different performances. The experiments aim to find the optimal order of the AdaBoosts into the PDL.

V. Probabilistic Relaxation Labeling

Relaxation labeling was first proposed by Rosenfeld *et al.* [22]. The method employs contextual information to classify a set of interdependent objects by allowing interactions among the possible classifications of the related objects. Relaxation labeling has been applied to many areas of the computer vision [23] and for smoothing the final classification of the semantic maps [15]. In this last case, the label that is attributed to each cell of the map depends on the labels in its neighborhood.

This work applies Probabilistic Relaxation Labeling (PRL) for smoothing the classification of the PDL as suggested by Mozos *et al.* [15] The aim is to classify the labels of the unoccupied cells of the maps. Let us consider a labeling problem with a set of B cells $C = \{c_1, \dots, c_B\}$, and K labels $Y = \{y_1, \dots, y_K\}$. The labeling is defined by a function

that maps each element of C into an element of Y . Each cell c_i is related to a probabilistic distribution given by the histogram P_i (as shown in Section IV), where each bin $p_i(k)$ of the histogram stores the probability that the cell c_i has the label k .

Let $Ne(c_i)$ be the set of cells that influence the labeling process of cell c_i by PRL. Here $Ne(c_i)$ is defined to be the neighborhood of c_i , which consists of the cells $c_j \neq c_i$ that are connected to c_i . Here the type of connectivity between a cell c_i with coordinates (x, y) and its neighbors is 8-connectivity. Thus, each cell in the interior of the state-space has 8 neighboring cells.

For each pair of cells (c_i, c_j) , d_{ij} denotes the *influence* on c_i from c_j , $D = \{d_{ij} | c_j \in Ne(c_i)\}$, $\sum_{j=1}^{Q_i} d_{ij} = 1$, and Q_i is the number of neighbors of c_i . The *compatibility* between the label k of cell c_i and the label k' of cell c_j is given by $r_{ij}(k, k') \in [-1, 1]$, satisfying the condition:

$$r_{ij}(k, k') = \begin{cases} \frac{1}{1 - p_i(k)} \left(1 - \frac{p_i(k)}{p_{ij}(k|k')}\right), & \text{if } p_i(k) < p_{ij}(k|k'), \\ \frac{p_{ij}(k|k')}{p_i(k)} - 1, & \text{otherwise,} \end{cases} \quad (12)$$

and $R = \{r_{ij}(k, k') | c_j \in N(c_i)\}$. High values of $r_{ij}(k, k')$ correspond to *compatibility* and low values to *incompatibility*. The term $p_{ij}(k|k')$ is the conditional probability that cell c_i has label k given that cell $c_j \in Ne(c_i)$ has label k' . This paper calculates $p_{ij}(k|k')$ by:

$$p_{ij}(k|k') = \frac{p_{ij}(k \cap k')}{p_j(k')}, \quad (13)$$

where $p_{ij}(k \cap k')$ is the joint probability, i.e. the probability of labels k and k' occurring simultaneously; and $p_j(k')$ is the probability that cell c_j has label k' . The *compatibility* coefficients $r_{ij}(k, k')$, and $p_i(k)$ and $p_{ij}(k|k')$ maintain the same values during the PRL process. They are calculated using the training set. For each cell c_i , there is a set of initial probabilities given by $P_i^{(0)} = \{p_i^{(0)}(k) | k = 1, \dots, K\}$, satisfying $\sum_{k=1}^K p_i^{(0)}(k) = 1$. These probabilities are given by the PDL of AdaBoosts.

PRL computes the histogram P_i assigned to each cell c_i iteratively until the labeling method converges or stabilizes. The updated probability of having label k on c_i at the $(t + 1)$ -th iteration is:

$$p_i^{(t+1)}(k) = \frac{p_i^{(t)}(k) [1 + q_i^{(t)}(k)]}{\sum_{k'=1}^K p_i^{(t)}(k') [1 + q_i^{(t)}(k')]}, \quad (14)$$

$$\text{where } q_i^{(t)}(k) = \sum_{j=1}^N d_{ij} \left(\sum_{k'=1}^K r_{ij}(k, k') p_j^{(t)}(k') \right). \quad (15)$$

The key issue of the PRL process is to define how many iterations are needed. In this work, PRL is performed T times and the iteration t with the lowest classification error is taken as the solution for the PRL process. The weights d_{ij} are set with value $\frac{1}{Q_i}$, i.e. all the cells in the neighborhood of c_i have same importance.

In the occupancy grid map process, we may be dealing with occupied cells (i.e. cells defined as *wall*) in the neighborhood of a free cell c_i . In this case, in the PRL process *wall*

must be included in the set of labels and the *wall* probabilities must be defined. The initial probability $p_i^{(0)}(\text{wall})$ of a cell c_i with label *wall* is set as 1; and other initial probabilities i.e. $p_i^{(0)}(\text{room})$, $p_i^{(0)}(\text{corridor})$ and $p_i^{(0)}(\text{doorway})$ are set as 0. For a free cell c_i (i.e. room, corridor or doorway), the initial probabilities $p_i^{(0)}(\text{room})$, $p_i^{(0)}(\text{corridor})$ and $p_i^{(0)}(\text{doorway})$ correspond to those given by the PDL, and $p_i^{(0)}(\text{wall})$ is set as 0.

VI. Heuristics for Removing Incorrect Regions

Some heuristics are necessary for removing incorrect regions after the relaxation labeling process. The aim is to increase the classification rate of the maps [21].

Connected component (or region) labeling references to the task of grouping the *connected* pixels with the same label in an image, where each region is labeled based on a given method. Connected components are extracted using 8-connected cells with same class $y \in \{\text{room}, \text{corridor}, \text{doorway}\}$ [24]. The label of a region is the same as the label of its pixels. Moreover, for each region, its connection (i.e. border), area and number of cells are extracted. The heuristics proposed for removing incorrect regions are defined as follows:

1. Remove regions of type *room* or *corridor* whose number of cells is lower than a given threshold which is set to 400 in this paper. For each removed region, its cells are merged into a new cumulative region which also includes all neighboring regions of type w , where w is the most frequent type of pixel in the border of the removed region;
2. Remove regions of type *doorway* that are connected to only one label. For each removed region, its cells are merged into a new cumulative region which also includes all neighboring regions. (Note: each region of type *doorway* connected to both *room* and *corridor* is kept even if its number of cells is less than a threshold).

VII. Experiment Results

Below the experiments use the data sets available on Óscar Martínez Mozos's website¹. They correspond to the Building 52 and Building 79 at the University of Freiburg. Both data sets have 150 features, as described in Table 3, and three classes that represent the places of the Buildings (*room*, *corridor* and *doorway*). The data sets are divided into training data set and testing data set, as shown in Figures 2 and 3.

The aim of the experiments is to demonstrate the improvements obtained by the PDL of AdaBoosts when the described PRL process and the proposed heuristics are performed. The tested AdaBoosts include the Viola-Jones AdaBoost, the Generalized AdaBoost, the Gentle AdaBoost and the Modest AdaBoost.

The Viola-Jones AdaBoost and the Generalized AdaBoost were implemented according to Algorithms 1 and 2, respectively. In this case, for each weak learner h_j based on a single feature f_j , a set of thresholds θ_t is generated in a linearly




Figure 2: Map of the building 52 - (a) training data set; (b) testing data set; — room, — corridor, — doorway.




Figure 3: Map of the building 79 - (a) training data set; (b) testing data set; — room, — corridor, — doorway.

spaced vector form; where the vector contains 200 points linearly spaced between and including $\min(f_j)$ and $\max(f_j)$. The Gentle AdaBoost and the Modest AdaBoost were implemented using the GML AdaBoost Toolbox². This Toolbox uses the Classification and Regression Tree (CART) as the weak learner, instead of weighted least squares mentioned in Algorithms 3 and 4. The CART decision tree is a rule-based method with leaves representing the classification result and nodes representing some predicate. The CART searches for all possible variables and all possible values in order to find the best split [25]. In the following experiments, the depth of the tree is equal to 3 and all the AdaBoosts use 100 weak learners.

A. Determining the Order of the AdaBoosts into the Probabilistic Decision List

In Section IV it was noted that the performance of the PDL is influenced by the order of the AdaBoosts in the list. The goal is to select the sequence of AdaBoosts in the PDL so as to minimize the classification error. A PDL is defined by k classes and $k - 1$ AdaBoosts. As the classification problem of both the Buildings is *three-class* (i.e. *room*, *corridor* and *doorway*), the number of the AdaBoosts in the PDL is *two*.

Suppose that the first AdaBoost of the list, AdaBoost_1 , is trained using class c_1 as positive and classes c_2 and c_3 as negative; And the second AdaBoost of the list, AdaBoost_2 , is trained using class c_2 as positive and class c_3 as negative (or the class c_3 as positive and the class c_2 negative). Thus, there are *three* possible arrangements (or orders) of the classes and AdaBoosts is *three*, as listed in the Table 4. The order selection problem consists of assigning classes c_1 , c_2 , and c_3 without repetition from among the classes *room*, *corridor* or *doorway*. In the experiments presented below, the shown PDL for each type of AdaBoost (i.e. the Viola-Jones AdaBoost, the Generalized AdaBoost, the Gentle AdaBoost

¹<http://www.informatik.uni-freiburg.de/~omartine/>

²<http://graphics.cs.msu.ru/science/research/machinelearning/adaboosttoolbox>

Table 4: Possible orders of the AdaBoosts into the PDL using the building 52 and the building 79 data sets.

Order	class c_1	class c_2	class c_3
1	room	corridor	doorway
2	corridor	room	doorway
3	doorway	room	corridor

and the Modest AdaBoost) has the best order.

B. Experiments Using the Building 52 and the Building 79 Data Sets

The methodology applied in the experiments can be divided into three steps. In the first step, a PDL of AdaBoosts with the best order is built, where the AdaBoosts are trained using the training data set. Then, the PDL is used to classify the cells of the testing map; and it outputs the histogram P_i of each cell c_i . In the second step, the classifications are smoothed using the PRL process presented in Section V. This method receives as inputs the histograms P_i , the conditional probabilities $p_{ij}(k|k')$, the initial probabilities $p_i^{(0)}(k)$ and the maximum number of iterations T (set as 50); and it outputs a testing map with a smoothed distribution of classification. In the third step, some incorrectly classified regions are re-classified using the heuristics described in Section VI. Table 5 shows the experimental results obtained on Building 52 and Building 79 using the PDL of AdaBoosts. The column *Ord.* specifies the best order of the AdaBoosts according to Table 4. The classification rates measure the percentage of samples correctly classified, where $train_{\%}$ is the rate on the training data set and $test_{\%}$ is the rate on the testing data set. *AdaBoost₁*, and *AdaBoost₂* are the first and second AdaBoosts of the PDL, respectively; *PDL* shows the classification rates using a PDL with the *AdaBoost₁* and *AdaBoost₂*; *PRL* reports the classification rate after having applied probabilistic relaxation labeling using the best number of iterations t ; *Heur.* shows the classification rate after having performed the proposed heuristics on the test map.

The classification rates indicate that the Gentle AdaBoost has the best performance for the *AdaBoost₁* and the *AdaBoost₂* in the training data set. In the testing data set for the *AdaBoost₁* and the *AdaBoost₂*, the Generalized AdaBoost has worse classification rates when compared to the other AdaBoosts. The best classification rate with a PDL in the testing data is obtained to the Gentle AdaBoost in the case of Building 52 and by Modest AdaBoost in the case of Building 79. When the relaxation labeling and the heuristics are applied, the Generalized AdaBoost significantly improves its performance.

C. Maps of the Building 52 and the Building 79

This Subsection presents the final maps using the classification outputs for the methodologies described above.

Figures 4 and 5 show the maps obtained for Building 52 and Building 79 at the University of Freiburg, respectively. As displayed, the environments are divided as *rooms*, *corridors* and *doorways*. After applying the PDL of AdaBoosts to classify the places, some noises can be seen in the Figures. These

noises are mainly due to cells misclassified as *doorways*, for example, as shown in the Figure 4d.

When the relaxation labeling is applied, a reduction of noise can be easily observed. In the other cases, for example in Figure 4k, it is noticed the plausible arising of cells with the *doorway* label. However, even applying the relaxation labeling, some incorrect regions are presented by the maps, as can be seen clearly in Figure 4e. Later these regions are eliminated using the heuristics, as shown in Figure 4f.

In general, the major problem is to classify correctly the *doorways*. The Generalized AdaBoost has the best performance on the *doorways* when compared to the other AdaBoosts. For Building 79, the Viola-Jones AdaBoost has a performance similar to the Generalized AdaBoost. The Modest AdaBoost fails in the map of Building 79. However, for the map of Building 52, the relaxation labeling strongly improves the classification rate of the *doorways*. This idea can be also extended to other learning algorithms.

D. Comparison with the Literature Results

Different AdaBoosts integrated with PDL for semantic place labeling in indoor environments are proposed. The tests indicate that the best AdaBoosts for place categorization are the Generalized AdaBoost and the Viola-Jones AdaBoost, where the final classification rate is 98.90% for Building 52 and 99.16% for Building 79. Mozos [21] also presents the PDL of Generalized AdaBoost, relaxation labeling, and heuristics for removing incorrect regions. Their final results are slightly inferior when compared to the results presented here, where their classification rate are 98.66% for Building 52 and 98.95% for Building 79. Here, the better results are attributed to the choice of the iteration t with lowest classification error on the iterations T as solution of the PRL process.

VIII. Conclusions

This paper compares binary AdaBoosts integrated with PDL for solving multi-class problems. The aim is to classify places in indoor environments using a mobile robot equipped with a laser range scanner covering 360° field of view. To increase the classification rate, probabilistic relaxation labeling and some heuristics are applied. The experiments are based on the data sets acquired from both the Building 52 and the Building 79 at the University of Freiburg. In these buildings, the environments are divided into places of three types: *room*, *door* and *corridor*.

The investigated AdaBoosts are the Viola-Jones AdaBoost, the Generalized AdaBoost, the Gentle AdaBoost and the Modest AdaBoost. The experimental results have shown that PDL of Generalized AdaBoost has inferior classification rate when compared to PDLs of other types of AdaBoosts. However, in Building 52, the Generalized AdaBoost outperforms the other AdaBoosts when relaxation labeling and heuristics are performed; And, in Building 79, the Viola-Jones AdaBoost has the best performance.

In Building 52, the tests have shown that the optimal PDL is the one composed of Generalized AdaBoosts, where the final classification rate in the test map is 98.90%; And the experimental results on Building 79 have shown that the best PDL




Figure 4: Test map of the building 52 using PDL of: (a)-(c) Viola-Jones AdaBoost; (d)-(f) Generalized AdaBoost; (g)-(i) Gentle AdaBoost; (j)-(l) Modest AdaBoost; — room, — corridor, — doorway.

Table 5: Experimental results using the AdaBoosts into the probabilistic decision list.

The Building 52 at the University of Freiburg										
AdaBoost	Order	AdaBoost ₁		AdaBoost ₂		PDL		PRL		Heuristic
Algorithm		<i>train%</i>	<i>test%</i>	<i>train%</i>	<i>test%</i>	<i>train%</i>	<i>test%</i>	<i>t</i>	<i>test%</i>	<i>test%</i>
Viola-Jones	3	98.42	98.16	99.94	99.66	98.36	97.84	26	98.12	98.23
Generalized	2	99.61	99.35	95.60	96.67	95.88	96.56	48	98.27	98.90
Gentle	3	99.79	98.08	99.81	99.88	99.79	97.97	1	98.01	98.29
Modest	2	99.70	99.58	97.73	97.72	97.79	97.70	41	98.26	98.37

The Building 79 at the University of Freiburg										
AdaBoost	Order	AdaBoost ₁		AdaBoost ₂		PDL		PRL		Heuristic
Algorithm		<i>train%</i>	<i>test%</i>	<i>train%</i>	<i>test%</i>	<i>train%</i>	<i>test%</i>	<i>t</i>	<i>test%</i>	<i>test%</i>
Viola-Jones	1	98.59	99.13	97.98	98.10	98.10	98.71	15	99.06	99.16
Generalized	1	98.56	98.59	96.53	97.63	97.63	98.10	50	99.06	99.13
Gentle	2	99.99	99.45	99.53	98.12	99.57	98.12	5	98.72	98.93
Modest	2	99.13	99.39	98.18	99.32	97.80	98.87	4	98.93	99.07




Figure 5: Test map of the building 79 using PDL of: (a)-(c) Viola-Jones AdaBoost; (d)-(f) Generalized AdaBoost; (g)-(i) Gentle AdaBoost; (j)-(l) Modest AdaBoost; blue, room, red, corridor, yellow, doorway.

is also the one composed by Viola-Jones AdaBoosts, where the classification rate of the test map was 99.16%. The results suggested that PDL can be extended to several binary classifiers and show that PRL improves significantly the classification rates of the classifiers.

Acknowledgments

Symone Soares is supported by the Fundação para a Ciência e a Tecnologia (FCT) under the Grant SFRH/BD/68515/2010.


The authors acknowledge the support of FCT project PEst-C/EEI/UI0048/2013.

References

- [1] H. Qu, K. Xing and T. Alexander, "An Improved Genetic Algorithm with Co-evolutionary Strategy for Global Path Planning of Multiple Mobile Robots," *Neurocomputing* **120**(0) (2013) 509–517.
- [2] A. M. Bartkowiak, "Anomaly, Novelty, One-Class Classification: A Comprehensive Introduction," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **3** (2011) 061–071.
- [3] P. Hartono and A. Nakane, "Robotics Modules with Realtime Adaptive Topology," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **3** (2011) 185–192.
- [4] A. Eguchi and C. Thompson, "Towards A Semantic World: Smart Objects In A Virtual World," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **3** (2011) 905–911.

- [5] D. F. Wolf and G. S. Sukhatme, "Semantic Mapping Using Mobile Robots," *IEEE Transactions on Robotics* **24**(2) (2008) 245–258.
- [6] B. A. Bargel, J. Schröck, D. Szentes and W. Roller, "Using Learning Maps for Visualization of Adaptive Learning Path Components," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **4** (2012) 228–235.
- [7] C. Galindo and A. Saffiotti, "Inferring Robot Goals from Violations of Semantic Knowledge," *Robotics and Autonomous Systems* **61**(0) (2013) 1131–1143.
- [8] O. M. Mozos, "Semantic Place Labeling with Mobile Robots," Ph. D. Thesis, Department of Computer Science, 2008.
- [9] P. Buschka and A. Saffiotti, "A Virtual Sensor for Room Detection," *IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2002)*, 2002, pp. 637–642.
- [10] L. Shi and S. Kodagoda, "Multi-class Classification for Semantic Labeling of Places," *11th International Conference on Control Automation Robotics Vision (ICARCV 2010)*, 2010, pp. 2307–2312.
- [11] O. M. Mozos, C. Stachniss and W. Burgard, "Supervised Learning of Places from Range Data using Adaboost," *Proceedings of the 2005 IEEE International Conference on Robotics and Automation (ICRA 2005)*, 2005, pp. 1730–1735.
- [12] P. Viola and M. Jones, "Robust Real-time Object Detection," *IEEE ICCV Workshop Statistical and Computational Theories of Vision*, Vancouver, Canada, July 2001.
- [13] Y. Freund and R. E. Schapire, "A Decision-Theoretic Generalization of On-Line Learning and an Application to Boosting," *Proceedings of the Second European Conference on Computational Learning Theory (EuroCOLT '95)*, Springer-Verlag: London, UK, 1995, pp. 23–37.
- [14] R. Schapire and Y. Singer, "Improved Boosting Algorithms Using Confidence-Rated Predictions," *Machine Learning* **37**(3) (1999) 297–336.
- [15] O. M. Mozos, C. Stachniss, A. Rottmann and W. Burgard, "Using AdaBoost for Place Labeling and Topological Map Building," *Robotics Research*, Springer Tracts in Advanced Robotics, Vol. 28, eds. S. Thrun, R. Brooks and H. Durrant-Whyte, Chap. 39, Springer Berlin/Heidelberg, 2007, pp. 453–472.
- [16] J. Friedman, T. Hastie and R. Tibshirani, "Additive Logistic Regression: A Statistical View of Boosting," *Annals of Statistics* **28**(2) (2000) 337–407.
- [17] A. Vezhnevets and V. Vezhnevets, "Modest AdaBoost' - Teaching AdaBoost to Generalize Better," *International Conference on Computer Graphics and Vision (GraphiCon 2005)*, 2005, pp. 322–325.
- [18] H. Doğan and O. Akay, "Using AdaBoost Classifiers in a Hierarchical Framework for Classifying Surface Images of Marble Slabs," *Expert Systems with Applications* **37**(12) (2010) 8814–8821.
- [19] A. Ekbal, S. Saha, M. Hasanuzzaman and A. Majumder, "Bio-molecular Event Extraction using a GA based Classifier Ensemble Technique," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **5** (2013) 631–641.
- [20] M. K. A. Mahmoud, A. Al-Jumaily and M. Takruri, "Wavelet and Curvelet Analysis for Automatic Identification of Melanoma Based on Neural Network Classification," *International Journal of Computer Information Systems and Industrial Management Applications (IJCSIM)* **5** (2013) 606–614.
- [21] O. M. Mozos, *Semantic Place Labeling with Mobile Robots*, Springer, Springer Tracts in Advanced Robotics (STAR), Germany, 2010.
- [22] A. Rosenfeld, R. A. Hummel and S. W. Zucker, "Scene Labeling by Relaxation Operations," *IEEE Transactions on Systems, Man and Cybernetics* **6**(6) (1976) 420–433.
- [23] F. Chen, J. Feng, A. K. Jain, J. Zhou and J. Zhang, "Separating Overlapped Fingerprints," *IEEE Transactions on Information Forensics and Security* **6**(2) (2011) 346–359.
- [24] R. C. Gonzalez, R. E. Woods and S. L. Eddins, *Digital Image Processing Using MATLAB*, Prentice-Hall, Inc., Upper Saddle River, NJ, USA, 2003.
- [25] L. Shi, Y. Fu, R. Yang, B. Wang and P. Zhu, "Selection of Initial Designs for Multi-Objective Optimization using Classification and Regression Tree," *Structural and Multidisciplinary Optimization* **0** (2013) 1–17.

Author Biographies



Symone G. Soares received her graduation degree in Computer Engineering from the Pontifical Catholic University of Goiás (PUC-GO), Brazil, in 2009. Actually she is pursuing her Ph.D degree in Electrical and Computer Engineering at the University of Coimbra, Portugal. Since 2010, she is a researcher at the Portuguese Institute for Systems and Robotics (ISR-Coimbra). Her

research interests include machine learning, optimization techniques, computational intelligence modeling, and Soft Sensors for industrial applications.



Rui Araújo received the B.Sc. degree “Licenciatura”) in Electrical Engineering, the M.Sc. degree in Systems and Automation, and the Ph.D degree in Electrical Engineering from the University of Coimbra, Portugal, in 1991, 1994, and 2000 respectively. He joined the Department of Electrical and Computer Engineering of the University of Coimbra where he is currently

an Assistant Professor. He is a founding member of the Portuguese Institute for Systems and Robotics (ISR-Coimbra), where he is now a researcher. His research interests include computational intelligence, intelligent control, learning systems, fuzzy systems, neural networks, control, embedded systems, real-time systems, soft sensors, industrial systems, sensor-based mobile robot navigation, and in general architectures and systems for controlling robot manipulators, and for controlling mobile robots.